

```
public class Calculator
{
    private double currentValue = 0;

    public Calculator(double value)
    {
        currentValue = value;
    }

    public void setCurrentValue(double currentValue)
    {
        this.currentValue = currentValue;
    }

    public double getCurrentValue()
    {
        return currentValue;
    }

    public void clear()
    {
        currentValue = 0;
    }

    public void add(double pNumber)
    {
        currentValue = currentValue + pNumber;
    }

    public void subtract(double pNumber)
    {
        currentValue = currentValue - pNumber;
    }

    public void multiplyBy(double pNumber)
    {
        currentValue = currentValue * pNumber;
    }

    public void divideBy(double pNumber)
    {
        currentValue = currentValue / pNumber;
    }

    public void sqr()
    {
        currentValue = Math.pow(currentValue, 2);
    }

    public void sqrt()
    {
        currentValue = Math.sqrt(currentValue);
    }

    public void round()
    {
        currentValue = Math.round(currentValue);
    }

    public void sin()
    {
        currentValue = Math.sin(currentValue);
    }

    public void cos()
    {
        currentValue = Math.cos(currentValue);
    }

    public void tan()
    {
        currentValue = Math.tan(currentValue);
    }

    public void factorial()
    {
        int n = (int) Math.abs(currentValue);
        currentValue = 1;
        for (int i = 1; i <= n; i++)
            currentValue = currentValue * i;
    }
}
```

```

public class MainFrame extends javax.swing.JFrame
{
    /*
     * Version 3: Calculateur non RPN mais "std" --> p.ex. 3 + 2 = ... - 5 =
     */

    private Calculator calculator = new Calculator(0);
    private String operation = "";

    public MainFrame()
    {
        initComponents();
    }

    public void updateView()
    {
        currentValueTextField.setText(String.valueOf(calculator.getCurrentValue()));
    }
// Skipped: ... initComponents { ... }
    private void addButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_addButtonActionPerformed
        operation = "+";
    }//GEN-LAST:event_addButtonActionPerformed

    private void subtractButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_subtractButtonActionPerformed
        operation = "-";
    }//GEN-LAST:event_subtractButtonActionPerformed

    private void multiplyButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_multiplyButtonActionPerformed
        operation = "*";
    }//GEN-LAST:event_multiplyButtonActionPerformed

    private void divideButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_divideButtonActionPerformed
        operation = "/";
    }//GEN-LAST:event_divideButtonActionPerformed

    private void cosButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_cosButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.cos();
        updateView();
    }//GEN-LAST:event_cosButtonActionPerformed

    private void sqrButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_sqrButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.sqr();
        updateView();
    }//GEN-LAST:event_sqrButtonActionPerformed

    private void roundButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_roundButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.round();
        updateView();
    }//GEN-LAST:event_roundButtonActionPerformed

    private void sinButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_sinButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.sin();
        updateView();
    }//GEN-LAST:event_sinButtonActionPerformed

    private void tanButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_tanButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.tan();
        updateView();
    }//GEN-LAST:event_tanButtonActionPerformed

    private void factorialButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_factorialButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.factorial();
        updateView();
    }//GEN-LAST:event_factorialButtonActionPerformed

    private void sqrtButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_sqrtButtonActionPerformed
        calculator.setCurrentValue(Double.valueOf(currentValueTextField.getText()));
        calculator.sqrt();
        updateView();
    }//GEN-LAST:event_sqrtButtonActionPerformed

    private void resultButtonActionPerformed(java.awt.event.ActionEvent evt) {GEN-FIRST:event_resultButtonActionPerformed
        double v = Double.valueOf(currentValueTextField.getText());
        if (operation.equals("+"))
            calculator.add(v);
        else if (operation.equals("-"))
            calculator.subtract(v);
        else if (operation.equals("*"))
            calculator.multiplyBy(v);
        else if (operation.equals("/"))
            calculator.divideBy(v);
        else
        {
            // NE RIEN FAIRE! car pas d'opération définie
        }
        operation = ""; // opération terminée...
        updateView();
    }//GEN-LAST:event_resultButtonActionPerformed
// Skipped: ... main routine
// Skipped: ... graphic attributes
}

```