

```
import java.awt.Color;
import java.awt.Graphics;
import java.awt.Point;
public class Line
{
    private Point from;
    private Point to;

    public Line(int x1, int y1, int x2, int y2)
    {
        from = new Point(x1, y1);
        to = new Point(x2, y2);
    }

    public Line(Point from, Point to)
    {
        this.from = from;
        this.to = to;
    }

    public Point getFrom()
    {
        return from;
    }

    public void setFrom(Point from)
    {
        this.from = from;
    }

    public void setTo(Point to)
    {
        this.to = to;
    }

    public Point getTo()
    {
        return to;
    }

    public void draw(Graphics g)
    {
        // Dessiner la ligne
        g.setColor(Color.BLACK);
        g.drawLine(from.x, from.y, to.x, to.y);
    }

    public String toString()
    {
        return "[" + from.x + "," + from.y + "] -> [" + to.x + "," + to.y + "]";
    }
}
```

```
import java.awt.Graphics;
import java.util.ArrayList;
public class Lines
{
    private ArrayList<Line> allLines = new ArrayList<>();

    public void add(Line l)
    {
        allLines.add(l);
    }

    public void clear()
    {
        allLines.clear();
    }

    public void draw(Graphics g)
    {
        // Chaque ligne se dessine elle-même
        for (int i = 0; i < allLines.size(); i++)
            allLines.get(i).draw(g);
    }

    public Object[] toArray()
    {
        return allLines.toArray();
    }
}
```

```
import java.awt.Color;
import java.awt.Graphics;
public class DrawPanel extends javax.swing.JPanel
{
    private Lines lines = null;

    public DrawPanel()
    {
        initComponents();
    }

    public void setLines(Lines lines)
    {
        this.lines = lines;
    }

    @Override
    public void paintComponent(Graphics g)
    {
        // Effacer le dessin
        int w = getWidth();
        int h = getHeight();

        g.setColor(Color.WHITE);
        g.fillRect(0, 0, w, h);

        // Dessiner les lignes si présentes
        if (lines != null)
            lines.draw(g);
    }
// Skipped: ... initComponents { ... }
// Variables declaration - do not modify//GEN-BEGIN:variables
// End of variables declaration//GEN-END:variables
}
```

```
public class MainFrame extends javax.swing.JFrame
{
    private Lines lines = null;
    private Line newLine = null;

    public MainFrame()
    {
        initComponents();
        lines = new Lines();
        drawPanel.setLines(lines);
    }

    public void updateView()
    {
        linesList.setListData(lines.toArray());
        repaint();
    }
// Skipped: ... initComponents { ... }
    private void drawPanelMouseDragged(java.awt.event.MouseEvent evt) {//GEN-FIRST:event_drawPanelMouseDragged
        newLine.setTo(evt.getPoint());
        updateView();
    }//GEN-LAST:event_drawPanelMouseDragged

    private void drawPanelMousePressed(java.awt.event.MouseEvent evt) {//GEN-FIRST:event_drawPanelMousePressed
        newLine = new Line(evt.getPoint(), evt.getPoint());
        lines.add(newLine);
        updateView();
    }//GEN-LAST:event_drawPanelMousePressed

    private void drawPanelMouseReleased(java.awt.event.MouseEvent evt) {//GEN-FIRST:event_drawPanelMouseReleased
        newLine.setTo(evt.getPoint());
        updateView();
    }//GEN-LAST:event_drawPanelMouseReleased
// Skipped: ... Look & Feel
// Variables declaration - do not modify//GEN-BEGIN:variables
    private DrawPanel drawPanel;
    private javax.swing.JScrollPane jScrollPane1;
    private javax.swing.JList linesList;
// End of variables declaration//GEN-END:variables
}
```